

ICONES PLANTARUM;

OR

FIGURES,

WITH

BRIEF DESCRIPTIVE CHARACTERS AND REMARKS.

OR

NEW OR RARE PLANTS,

SELECTED FROM THE AUTHOR'S HERBARIUM.

BY SIR WILLIAM JACKSON HOOKER, K.H.,

LL.D., F.R.A., AND F.L.S.

VICE-PRESIDENT OF THE LINNEAN SOCIETY,

MEMBER OF THE IMP. ACADEM. NAT. CURE, ETC., ETC., ETC.

HONORARY MEMBER OF THE ROYAL IRISH ACADEMY, OF THE ROYAL MEDICAL AND CHIRURGICAL SOC. OF LONDON, ETC., ETC.

AND

DIRECTOR OF THE ROYAL BOTANICAL GARDEN, KEN.

VOL. IV. NEW SERIES.

OR VOL. VIII. OF THE ENTIRE WORK.

LONDON:

HIPPOLYTE BAILLIÈRE,

FOREIGN BOOKSELLER TO THE ROYAL COLLEGE OF SURGEONS, AND TO THE ROYAL MEDICAL AND CHIRURGICAL SOCIETY.

219, REGENT STREET.

PÂRIS: J. B. BAILLIÈRE, RUE DE L'ÉCOLE DE MÉDECINE.

1848.

Hookeriana.

N. O. Sapotæ.

TAB. DCCLXI.

SAPOTA MARGINATA, *Dene.*

Ramulis glabratis novellis tomentosis, foliis obovatis obtusis supra glabris subtus petiolisque tomentosis marginatis coriaceis dein glabratis, floribus axillaribus paucis glabris, pedicellis petiolum superantibus, foliolis calycinis rotundatis glabris, corollæ lacinias calycem parum superantibus rotundatis ciliolatis, squamis ligulatis obtusis, filamentis dilatatis, ovario superne piloso 6-loculari, loculis uniovulatis. *Decaisne.*

Sapota marginata, *Dene. apud. Webb, Spicil. Gorgon. in Hook. Niger Voy. p. 169. Tab. XIII.*

HAB. Rocky summit of a mountain 2000 feet high; valley of St. Domingo, in St. Jago, one of the Cape de Verd Islands.
J. D. H.

Only two individuals of this tree (about 20 feet high) were detected in the above-mentioned locality. They yielded one flower and several young fruits. The latter, as well as the branches, abounded in milky juice.

Fig. 1. Flower. f. 2. Portion of corolla, stamens and scales. f. 3. Ovary:—magnified.

