

ICONES PLANTARUM;

OR

FIGURES,

WITH

BRIEF DESCRIPTIVE CHARACTERS AND REMARKS.

OR

NEW OR RARE PLANTS,

SELECTED FROM THE AUTHOR'S HERBARIUM.

BY SIR WILLIAM JACKSON HOOKER, K.H.,

LL.D., F.R.A., AND F.L.S.

VICE-PRESIDENT OF THE LINNEAN SOCIETY,

MEMBER OF THE IMP. ACADEM. NAT. CURE, ETC., ETC., ETC.

HONORARY MEMBER OF THE ROYAL IRISH ACADEMY, OF THE ROYAL MEDICAL AND CHIRURGICAL SOC. OF LONDON, ETC., ETC.

AND

DIRECTOR OF THE ROYAL BOTANICAL GARDEN, KEN.

VOL. IV. NEW SERIES.

OR VOL. VIII. OF THE ENTIRE WORK.

LONDON:

HIPPOLYTE BAILLIÈRE,

FOREIGN BOOKSELLER TO THE ROYAL COLLEGE OF SURGEONS, AND TO THE ROYAL MEDICAL AND CHIRURGICAL SOCIETY.

219, REGENT STREET.

PÂRIS: J. B. BAILLIÈRE, RUE DE L'ÉCOLE DE MÉDECINE.

1848.

TAB. DCCLXIV.

PHAGNALON MELANOLEUCUM, Webb.

Fruticulus, ramis tenuibus incurvis tomento pannoso albo vestitis, foliis alternis lanceolatis majoribus saepe pollicaribus 4 fere lin. latis margine revolutis undulatis in petiolum brevem attenuatis, junioribus saepe in axillis fasciculatis supra tomento albo araneoso deciduo tectis mox atrovirescentibus subtus albo-tomentosis, pedunculis ad apicem ramorum v. in axillis supremis v. oppositifoliis solitariis v. geminatis 2-3 dichotomis filiformibus tomentosis apice nudis, involuci campanulati glaberrimi nigrescentis squamis 3-serialibus exterioribus ovatis mediis oblongis interioribus linearibus margine scariosis denticulatis apiculatis, capitulis paucifloris heterogamis, floribus omnibus tubulosis, foemineis pluriserialibus filiformibus 5-dentatis, stylo exerto ramis elongatis obtusis, hermaphroditis sub 3 campanulatis glabriusculis, antheris basi attenuatis ecaudatis, styli ramis exsertis superne claviformibus apice subtruncatis stigmatoso-papillosis, receptaculo angusto, acheniis oblongis subcompressis erostris, pappo albo pilosiusculo florum foemineorum 3-4-setoso hermaphroditorum 5-setoso. *Webb.*

Phagnalon melanoleucum, *Webb*, *Spicil. Gorgon.* in *Hook. Niger Voy.* p. 136. Tab. IX.

HAB. Mont Verd, St. Vincent, one of the Cape de Verd Islands, from an elevation of 1000 feet to the summit. *Vogel.*

Fig. 1. Hermaphrodite, and fig. 2. Female flower:—both magnified.

