

ICONES PLANTARUM;

OR

FIGURES,

WITH

BRIEF DESCRIPTIVE CHARACTERS AND REMARKS,

OF

NEW OR RARE PLANTS,

SELECTED FROM THE AUTHOR'S HERBARIUM.

By SIR WILLIAM JACKSON HOOKER, K.H.,

LL.D., F.R.S., AND F.L.S.

VICE-PRESIDENT OF THE LINNEAN SOCIETY,

MEMBER OF THE IMP. ACAD. NAT. CUR., ETC., ETC., ETC.

HONORARY MEMBER OF THE ROYAL IRISH ACADEMY, OF THE ROYAL MEDICAL AND
SURGICAL SOC. OF LONDON, ETC., ETC.

AND

DIRECTOR OF THE ROYAL BOTANICAL GARDENS, SER.

VOL. IV. NEW SERIES,

OR VOL. VIII. OF THE ENTIRE WORK.

LONDON:

HIPPOLYTE BAILLIÈRE,

FOREIGN BOOKSELLER TO THE ROYAL COLLEGE OF SURGEONS, AND TO THE ROYAL
MEDICAL AND SURGICAL SOCIETY.

219, REGENT STREET.

PARIS: J. B. BAILLIÈRE, RUE DE L'ÉCOLE DE MÉDECINE.

1848.

TAB. DCCLII.

SINAPIDENDRON VOGELII, *Webb.*(Sect. Podocarpica, *Webb.*)

Ramis crassis nodosis, foliis rotundatis ovatisque crassis subtus nervosis pilis brevibus strigoso-hirtis margine dentatis v. demum crenato-dentatis basi integris cuneatis petiolatis, spicis basi hirsutis, calyce subsaccato-strigoso, petalis amplis flavis aurantiaco-maculatis? in unguem attenuatis, ovario lato gynophoro tenui triplo longiore, stigmatе capitato subsessili, siliqua—?

Sinapidendron Vogelii. *Webb, Spicil. Gargon. in Hook. Niger Voy. p. 100, Tab. II.*

HAB. St. Vincent, one of the Cape de Verd Islands. *Vogel.*

The region, to which the genus *Sinapidendron* belongs, we have elsewhere called *Macaronesian*. The two species from the Cape de Verd Islands, differ from the Madeira and Canarian ones, in having a long slender support to the ovary and fruit, analogous to that of the *Capparideae*. No other characters, however, of value, present themselves, so as to authorize their separation as a genus. *P. B. Webb.*

Fig. 1. Flower. *f. 2.* Petal. *f. 3.* Stamen. *f. 4.* Ovary:—*magnified.*

